SYSTEMS SURVEY FORM

(Restricted to Professional Use)

PATIENT_____AGE____HEALTH CARE PROFESSIONAL_____DATE____

INSTRUCTIONS: Circle the number that applies to you. If a symptom does not apply, leave it blank. Circle either: (1) for MILD symptoms (occurs rarely), (2) for MODERATE symptoms (occurs several times a month), or (3) for SEVERE symptoms (occurs almost constantly).

4 4 0 0 4 114	GROUP 1		15 1 2 2	Cold sweats often
•		nable to relax, startles easily		Cold sweats often
2 – 1 2 3 Get chilled, often		xtremities cold, clammy		Get heated easily
		rong light irritates		Nerve discomfort
•		ccasionally weak urine flow		Staring, blinks little
•		eart pounds after retiring	19 – 1 2 3	Sour stomach frequent
·		lervous" stomach		
7 – 1 2 3 Gag occasionally	14 – 1 2 3 ^{Ar}	opetite reduced occasionally		
	GROUP 2			
20 - 1 2 3 Joint stiffness after arising	28 – 1 2 3	B Digestion rapid	36 – 1 2 3	"Slow starter"
21 - 1 2 3 Muscle-leg-toe cramps at n	ght 29 - 1 2 3	3 Vomiting occasionally	37 – 1 2 3	Get "chilled"
22 - 1 2 3 "Butterfly" stomach, cramps	30 – 1 2 3	Hoarseness frequent	38 – 1 2 3	Perspire easily
23 - 1 2 3 Eyes or nose watery	31 – 1 2 3	Uneven breathing	39 – 1 2 3	Sensitive to cold
24 - 1 2 3 Eyes blink often	32 – 1 2 3	Pulse slow	40 - 1 2 3	Upper respiratory
25 - 1 2 3 Eyelids swollen, puffy	33 – 1 2 3	Gagging reflex slow		challenges
26 - 1 2 3 Indigestion soon after meals	34 – 1 2 3	Difficulty swallowing		
27 - 1 2 3 Always seem hungry;	35 – 1 2 3	Temporary constipation		
feels "lightheaded" often		or diarrhea		
	GROUP 3			
41 – 1 2 3 Eat when nervous		eart palpitates if meals	52 _ 1 2 3	3 Crave candy or coffee
42 – 1 2 3 Excessive appetite		issed or delayed	32 - 1 2 C	in afternoons
43 – 1 2 3 Excessive appetite 43 – 1 2 3 Hungry between meals		atigue in afternoons	53 _ 1 2 3	B Moods of "blues" or
44 – 1 2 3 Irritable before meals		vereating sweets upsets	33 - 12 3	melancholy
45 – 1 2 3 Get "shaky" if hungry		waken after few hours' sleep	54 _ 1 2 3	3 Craving for sweets or
46 – 1 2 3 Fatigue, eating relieves		nard to get back to sleep	04 - 12 0	snacks
47 – 1 2 3 "Lightheaded" if meals dela		iald to get back to sleep		SHACKS
	GROUP 4			
55 - 1 2 3 Hands and feet go to sleep			67 – 1 2 3	Skin discolors easily
easily, numbness	63 – 1 2 3	Swollen ankles		after impact
56 - 1 2 3 Sigh frequently, "air		worse at night		Tendency to anemia
hunger"	64 – 1 2 3	Muscle cramps, worse	69 – 1 2 3	Noises in head, or
57 - 1 2 3 Aware of "breathing		during exercise; get		"ringing in ears"
heavily"		"charley horses"	70 – 1 2 3	Fatigue upon
58 - 1 2 3 High altitude discomfort	65 – 1 2 3	Difficulty catching breath,		exertion
59 - 1 2 3 Opens windows in		especially during exercise		
closed room	66 – 1 2 3	Tightness or pressure in		
60 - 1 2 3 Immune system challenges		chest, worse on exertion		
61 – 1 2 3 Afternoon "yawner"				

	3131Elvi3 30KVE11 OKWI-1 age 2	
72 - 1 2 3 Dry skin 73 - 1 2 3 Burning feet 82 - 74 - 1 2 3 Blurred vision 83 - 75 - 1 2 3 Itching skin and feet 84 - 76 - 1 2 3 Hair loss 85 - 77 - 1 2 3 Occasional skin rashes 78 - 1 2 3 Bitter, metallic taste 86 -	after eating 89 1 2 3 Greasy foods upset 1 2 3 Stools light-colored 90 1 2 3 Skin peels on foot soles 91 1 2 3 Discomfort between shoulder blades 92 1 2 3 Occasional laxative use 93	 1 2 3 Sneezing attacks 1 2 3 Dreaming, nightmare type bad dreams 1 2 3 Bad breath (halitosis) 1 2 3 Milk products cause upset 1 2 3 Sensitive to hot weather 1 2 3 Burning or itching anus 1 2 3 Crave sweets
	CROURG	
96 – 1 2 3 Lower bowel gas several 99 hours after eating	- 1 2 3 Pass large amounts of 10	01 - 1 2 3 Watery or loose stool 02 - 1 2 3 Gas shortly after eating 03 - 1 2 3 Stomach "bloating"
	GROUP 7	
GROUP 7A 104 - 1 2 3 Difficulty sleeping 105 - 1 2 3 On edge 106 - 1 2 3 Can't gain weight 107 - 1 2 3 Intolerance to heat 108 - 1 2 3 Highly emotional 109 - 1 2 3 Flush easily 110 - 1 2 3 Night sweats 111 - 1 2 3 Thin, moist skin 112 - 1 2 3 Inward trembling 113 - 1 2 3 Heart races 114 - 1 2 3 Increased appetite without weight gain 115 - 1 2 3 Pulse fast at rest 116 - 1 2 3 Eyelids and face twitch 117 - 1 2 3 Irritable and restless 118 - 1 2 3 Can't work under pressure	GROUP 7C 134 - 1 2 3 Failing memory with age 135 - 1 2 3 Increased sex drive 136 - 1 2 3 Episodes of tension in head 137 - 1 2 3 Decreased sugar tolerance GROUP 7D 138 - 1 2 3 Abnormal thirst 139 - 1 2 3 Bloating of abdomen 140 - 1 2 3 Weight gain around hips or waist	GROUP 7E 145 - 1 2 3 Dizziness 146 - 1 2 3 Headaches 147 - 1 2 3 Hot flashes 148 - 1 2 3 Hair growth on face or body (female) 149 - 1 2 3 Sugar in urine (not diabetes) 150 - 1 2 3 Masculine tendencies (female) GROUP 7F 151 - 1 2 3 Weakness, dizziness 152 - 1 2 3 Tired throughout day
GROUP 7B 119 - 1 2 3 Increase in weight 120 - 1 2 3 Decrease in appetite 121 - 1 2 3 Fatigue easily 122 - 1 2 3 Ringing in ears 123 - 1 2 3 Sleepy during day 124 - 1 2 3 Sensitive to cold 125 - 1 2 3 Dry or scaly skin 126 - 1 2 3 Temporary constipation 127 - 1 2 3 Mental sluggishness 128 - 1 2 3 Hair coarse, falls out 129 - 1 2 3 Tension in head upon arising wears off during day 130 - 1 2 3 Slow pulse, below 65 131 - 1 2 3 Sounds appear diminished 133 - 1 2 3 Reduced initiative	 141 - 1 2 3 Sex drive reduced or lacking 142 - 1 2 3 Tendency for stomach issues 143 - 1 2 3 Increased sugar tolerance 144 - 1 2 3 Menstrual disorders 	153 - 1 2 3 Nails, weak, ridged 154 - 1 2 3 Sensitive skin 155 - 1 2 3 Stiff joints 156 - 1 2 3 Perspiration increase 157 - 1 2 3 Bowel discomfort 158 - 1 2 3 Poor circulation 159 - 1 2 3 Swollen ankles 160 - 1 2 3 Crave salt 161 - 1 2 3 Areas of skin darkening 162 - 1 2 3 Upper respiratory sensitivity 163 - 1 2 3 Tiredness 164 - 1 2 3 Breathing challenges

185 - 1 2 3 Muscle weakness 192 - 1 2 3 Very easily fatigued 193 - 1 2 3 Muscle weakness 194 - 1 2 3 Muscle was some painful than usual 195 - 1 2 3 Muscle around your head around your head around your head of sadness) 196 - 1 2 3 Muscle in around your head around your head around your head around your head of sadness) 196 - 1 2 3 Muscle sadness 197 - 1 2 3 Muscle sadness 197 - 1 2 3 Muscle same 196 - 1 2 3 Muscle same 197 - 1 2 3 Musc						
166 - 1 2 3 Lack of stamina 193 - 1 2 3 Premenstrual tension 194 - 1 2 3 Menses more painful than usual 195 - 1 2 3 Hyper-irritable 171 - 1 2 3 Feeling of a band around your head 172 - 1 2 3 Menses in the paint of sachess) 173 - 1 2 3 Swelling of ankles 174 - 1 2 3 Change in urinary function sweets/carbohydrates 176 - 1 2 3 Muscle spasms 177 - 1 2 3 Blurred vision 178 - 1 2 3 Numbness 177 - 1 2 3 Repling in the paint of the paint of sachess 176 - 1 2 3 Numbness 177 - 1 2 3 Repling in the paint of the pain	GROUP 8	FEMALE ONLY	MALE ONLY			
168 - 1 2 3 Drowsiness after eating 194 - 1 2 3 Menses more painful than usual 195 - 1 2 3 Mescular soreness 170 - 1 2 3 Hyper-initiable 171 - 1 2 3 Feeling of a band around your head around						
188		193 – 1 2 3 Premenstrual tension	exercise/social activities			
168	· ·	194 – 1 2 3 Menses more painful than	203 – 1 2 3 Difficult to postpone			
195 - 1 2 3 Heart racks 170 - 1 2 3 Hyper-irritable 171 - 1 2 3 Feeling of a band around your head 196 - 1 2 3 Painful breasts during menses 197 - 1 2 3 Melancholia (feeling of sadness) 173 - 1 2 3 Swelling of ankles 174 - 1 2 3 Change in urinary function 175 - 1 2 3 Tendency to consume sweets/carbohydrates 197 - 1 2 3 Menstruate to frequently 198 - 1 2 3 Muscles spasms 177 - 1 2 3 Menstruate to frequently 198 - 1 2 3 Menses action 179 - 1 2 3 Menses scanty or missed 201 - 1 2 3 Menses scanty or missed 201 - 1 2 3 Menses scanty or missed 201 - 1 2 3 Act, of energy 208 - 1 2 3 Muscles in arms and legs seem softer/smaller 201 - 1 2 3 Avoids activity 210 - 1 2 3 Avoids activity 210 - 1 2 3 Avoids activity 211 - 1 2 3 Leg nervousness at night 212 - 1 2 3 Diminished sex drive 184 - 1 2 3 Reprehension (feeling that something bad is going to happen) 186 - 1 2 3 Apprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Reprehension (feeling that something bad is going to happen) 188 - 1 2 3 Rep		usual	· · ·			
171 - 1 2 3 Feeling of a band around your head 196 - 1 2 3 Painful breasts during menses 197 - 1 2 3 Melancholia (feeling of sadness) 197 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Menstruate too frequently 199 - 1 2 3 Vysterectomy/ovaries removed 199 - 1 2 3 Vysterect		195 – 1 2 3 Depressed feelings before				
196 - 1 2 3 2 3 3 3 3 1 2 3 3 3 3 3 1 2 3 3 3 3 3 1 2 3 3 3 3 3 1 2 3 3 3 3 3 1 2 3 3 3 3 3 3 3 1 2 3 3 3 3 3 3 3 3 3 3		menstruation	· ·			
172 - 1 2 3 Melancholla (feeling of sadness) 173 - 1 2 3 Melancholla (feeling of sadness) 173 - 1 2 3 Swelling of ankles 174 - 1 2 3 Change in urinary function 175 - 1 2 3 Tendency to consume sweets/carbohydrates 176 - 1 2 3 Muscle spasms 176 - 1 2 3 Muscle spasms 177 - 1 2 3 Muscles spasms 178 - 1 2 3 Involuntary muscle action 179 - 1 2 3 Numbness 200 - 1 2 3 Menses scanty or missed 201 - 1 2 3 Acne, worse at menses 209 - 1 2 3 Muscles in arms and legs seem softer/smaller 201 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Muscles in arms and legs seem softer/smaller 201 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Muscles in arms and legs seem softer/smaller 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Menses seem softer/smaller 209 - 1 2 3 Tire too easily 210 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Menses seem softer/smaller 209 - 1 2 3 Tire too easily 210 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Menses seem softer/smaller 209 - 1 2 3 Tire too easily 210 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse a		196 – 1 2 3 Painful breasts during	•			
173 - 1 2 3 Swelling of ankles 197 - 1 2 3 Menstruate too frequently 198 - 1 2 3 Swelling of ankles 197 - 1 2 3 Swelling of ankles 197 - 1 2 3 Menses 197 - 1 2 3						
173 - 1 2 3						
174 - 1 2 3 Change in urinary function 175 - 1 2 3 Tendency to consume sweets/carbohydrates 199 - 1 2 3 Menopausal hot flashes seem softer/smaller 200 - 1 2 3 Menopausal hot flashes 200 - 1 2 3 Menopausal hot flashes 200 - 1 2 3 Menopausal hot flashes 200 - 1 2 3 Muscle spasms 201 - 1 2 3 Menopausal hot flashes 200 - 1 2 3 Muscle spasms 201 - 1 2 3 Menopausal hot flashes 200 - 1 2 3 Muscle spasms 201 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Tire too easily 210 - 1 2 3 Avoids activity 211 - 1 2 3 Avoids activity 211 - 1 2 3 Avoids activity 211 - 1 2 3 Leg nervousness at night 212 - 1 2 3 Diminished sex drive 212 - 1 2 3 Diminished sex drive 212 - 1 2 3 Diminished sex drive 213 - 1 2 3 Diminished sex drive 214 - 1 2 3 Diminished sex drive 215 - 1 2 3 Diminished sex drive 216 - 1 2 3 Diminished sex drive 217 - 1 2 3 Diminished sex drive 217 - 1 2 3 Diminished sex drive 218 - 1 2 3 Diminished	· · · · · · · · · · · · · · · · · · ·		bowel evacuation			
175 - 1 2 3 Tendency to consume sweets/carbohydrates 199 - 1 2 3 Menopausal hot flashes 200 - 1 2 3 Muscles spasms 177 - 1 2 3 Muscle spasms 178 - 1 2 3 Involuntary muscle action 178 - 1 2 3 Numbness 201 - 1 2 3 Acne, worse at menses 201 - 1 2 3 Acne, worse at menses 200 - 1 2 3 Tire too easily 210 - 1 2 3 Acne, worse at menses 211 - 1 2 3 Acne, worse at menses 211 - 1 2 3 Acne, worse at menses 210 - 1 2 3 Acne, worse at menses 21			207 - 1 2 3 Lack of energy			
sweets/carbohydrates 176 - 1 2 3 Muscle spasms 177 - 1 2 3 Blurred vision 178 - 1 2 3 Involuntary muscle action 179 - 1 2 3 Numbness 180 - 1 2 3 Night sweats 181 - 1 2 3 Rapid digestion 182 - 1 2 3 Redness of palms of hands and bottom of feet and abdomen 185 - 1 2 3 Hemorrhoids 186 - 1 2 3 Apprehension (feeling that something bad is going to happen) 187 - 1 2 3 Nervousness ausing loss of appetite 187 - 1 2 3 Nervousness with indigestion 188 - 1 2 3 Nervousness with indigestion 189 - 1 2 3 Gastritis 190 - 1 2 3 Tire too easily 210 - 1 2 3 Tire too easily 210 - 1 2 3 Avoids activity 211 - 1 2 3 Leg nervousness at night 212 - 1 2 3 Diminished sex drive IMPORTANT TO THE PATIENT: Please list below the five main physical complaints you have in order of their importance. 1			208 – 1 2 3 Muscles in arms and legs			
176 - 1 2 3 Muscle spasms 177 - 1 2 3 Muscle spasms 177 - 1 2 3 Burred vision 178 - 1 2 3 Involuntary muscle action 179 - 1 2 3 Numbness 201 - 1 2 3 Acne, worse at menses 209 - 1 2 3 Tire too easily 210 - 1 2 3 Avoids activity 211 - 1 2 3 Leg nervousness at night 212 - 1 2 3 Diminished sex drive 212 - 1 2 3		·				
178 - 1 2 3 Involuntary muscle action 179 - 1 2 3 Numbness 180 - 1 2 3 Night sweats 181 - 1 2 3 Rapid digestion 182 - 1 2 3 Sensitivity to noise 183 - 1 2 3 Redness of palms of hands and bottom of feet 184 - 1 2 3 Visible veins on chest and abdomen 185 - 1 2 3 Hemorrhoids 186 - 1 2 3 Apprehension (feeling that something bad is going to happen) 187 - 1 2 3 Nervousness causing loss of appetite 188 - 1 2 3 Revousness with indigestion 189 - 1 2 3 Gastritis 190 - 1 2 3 Forgeffulness 191 - 1 2 3 Thinning hair TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Hemoglobin Blood Clotting Time PH of Stool specimen Weight		_ ·				
179	·	201 – 1 2 3 Acne, worse at menses				
180 - 1 2 3 Night sweats 212 - 1 2 3 Diminished sex drive 181 - 1 2 3 Repression 23 Sensitivity to noise 183 - 1 2 3 Redness of palms of hands and bottom of feet IMPORTANT 184 - 1 2 3 Visible veins on chest and abdomen Importance 185 - 1 2 3 Hemorrhoids 1. 186 - 1 2 3 Apprehension (feeling that something bad is going to happen) loss of appetite 1. 187 - 1 2 3 Nervousness causing loss of appetite 3. 189 - 1 2 3 Gastritis 4. 190 - 1 2 3 Forgetfulness 5. 191 - 1 2 3 Thinning hair Standing Pulse TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight	178 – 1 2 3 Involuntary muscle action		210 – 1 2 3 Avoids activity			
181 - 1 2 3 Rapid digestion 182 - 1 2 3 Sensitivity to noise 183 - 1 2 3 Redness of palms of hands and bottom of feet IMPORTANT 184 - 1 2 3 Visible veins on chest and abdomen IMPORTANT 185 - 1 2 3 Hemorrhoids TO THE PATIENT: Please list below the five main physical complaints you have in order of their importance. 186 - 1 2 3 Apprehension (feeling that something bad is going to happen) 2. 187 - 1 2 3 Nervousness causing loss of appetite 3. 189 - 1 2 3 Gastritis 4. 190 - 1 2 3 Forgetfulness 5. 191 - 1 2 3 Thinning hair 5. TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent	179 – 1 2 3 Numbness		211 – 1 2 3 Leg nervousness at night			
181 – 1 2 3 Rapid digestion 182 – 1 2 3 Sensitivity to noise 183 – 1 2 3 Redness of palms of hands and bottom of feet 184 – 1 2 3 Visible veins on chest and abdomen 185 – 1 2 3 Hemorrhoids 186 – 1 2 3 Apprehension (feeling that something bad is going to happen) 187 – 1 2 3 Nervousness causing loss of appetite 188 – 1 2 3 Nervousness with indigestion with indigestion 189 – 1 2 3 Gastritis 190 – 1 2 3 Forgetfulness 191 – 1 2 3 Thinning hair TO THE PATIENT: Please list below the five main physical complaints you have in order of their importance. 1	180 – 1 2 3 Night sweats		212 – 1 2 3 Diminished sex drive			
183 - 1 2 3 Redness of palms of hands and bottom of feet hands and bottom of feet 184 - 1 2 3 Visible veins on chest and abdomen 185 - 1 2 3 Hemorrhoids 186 - 1 2 3 Apprehension (feeling that something bad is going to happen) 187 - 1 2 3 Nervousness causing loss of appetite 188 - 1 2 3 Nervousness with indigestion 189 - 1 2 3 Gastritis 190 - 1 2 3 Forgetfulness 191 - 1 2 3 Thinning hair 170 THE PATIENT: Please list below the five main physical complaints you have in order of their importance. 1						
hands and bottom of feet 184 - 1 2 3 Visible veins on chest and abdomen 185 - 1 2 3 Hemorrhoids 186 - 1 2 3 Apprehension (feeling that something bad is going to happen) 187 - 1 2 3 Nervousness causing loss of appetite 188 - 1 2 3 Nervousness with indigestion 189 - 1 2 3 Gastritis 190 - 1 2 3 Forgetfulness 191 - 1 2 3 Thinning hair TO THE PATIENT: Please list below the five main physical complaints you have in order of their importance. 1						
TO THE PATIENT: Please list below the five main physical complaints you have in order of their importance. 185 – 1 2 3 Hemorrhoids 186 – 1 2 3 Apprehension (feeling that something bad is going to happen) 187 – 1 2 3 Nervousness causing loss of appetite 188 – 1 2 3 Nervousness with indigestion 189 – 1 2 3 Forgetfulness 190 – 1 2 3 Forgetfulness 191 – 1 2 3 Thinning hair TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Decult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time	•		<u> </u>			
and abdomen 185 – 1 2 3 Hemorrhoids 186 – 1 2 3 Apprehension (feeling that something bad is going to happen) 187 – 1 2 3 Nervousness causing loss of appetite 188 – 1 2 3 Nervousness with indigestion with indigestion 189 – 1 2 3 Forgetfulness 190 – 1 2 3 Thinning hair TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight		_				
185 - 1 2 3 Hemorrhoids 186 - 1 2 3 Apprehension (feeling that something bad is going to happen) 1			in physical complaints you have in order of			
1		their importance.				
that something bad is going to happen) 187 - 1 2 3 Nervousness causing loss of appetite 188 - 1 2 3 Nervousness with indigestion 189 - 1 2 3 Gastritis 190 - 1 2 3 Forgetfulness 191 - 1 2 3 Thinning hair TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight		1.				
2 3 Nervousness causing loss of appetite 3 3						
187 - 1 2 3 Nervousness causing loss of appetite 3	· · · · · · · · · · · · · · · · · · ·	2				
loss of appetite 188 – 1 2 3 Nervousness with indigestion 189 – 1 2 3 Gastritis 190 – 1 2 3 Forgetfulness 191 – 1 2 3 Thinning hair TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time						
with indigestion 189 – 1 2 3 Gastritis 190 – 1 2 3 Forgetfulness 191 – 1 2 3 Thinning hair TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time		3				
189 – 1 2 3 Gastritis 190 – 1 2 3 Forgetfulness 191 – 1 2 3 Thinning hair TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time		1				
190 – 1 2 3 Forgetfulness 191 – 1 2 3 Thinning hair TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time	_	4	-			
TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time		5				
TO BE COMPLETED BY HEALTH CARE PROFESSIONAL Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time		o	_			
Postural Blood Pressure: Recumbent Standing Pulse Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time	191 – 1 2 3 Thinning hair					
Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time	TO BE COMPLETED BY HEALTH CARE PROFESSIONAL					
Hema-Combistix Urine readings: pH Albumin per cent Glucose per cent Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time	Destruct Bland Branch B	Otana P	Dula			
Occult Blood pH of Saliva pH of Stool specimen Weight Hemoglobin Blood Clotting Time	Postural Blood Pressure: Recumbent	Standing	Pulse			
Hemoglobin Blood Clotting Time	Hema-Combistix Urine readings: pH	Albumin per cent 0	Glucose per cent			
	Occult Blood pH of Saliva	pH of Stool specimen	Weight			
BARNES THYROID TEST RESTRICTIONS ON USE	Hemoglobin Blood Clotting Time					
	RARNES THYROID TE	ST PES	TRICTIONS ON USE			

This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

PRE-MENSES FEMALES AND MENOPAUSAL FEMALES (Any two days during the month) FEMALES HAVING MENSTRUAL CYCLES (The 2nd and 3rd day of flow or any 5 days in a row) MALES (Any 2 days during the month)

THE SYSTEMS SURVEY IS TO BE USED ONLY BY TRAINED HEALTH CARE PRACTITIONERS. IF YOU ARE A PATIENT, YOU SHOULD NOT USE THE SYSTEMS SURVEY. IF YOU ARE NOT A TRAINED HEALTH CARE PRACTITIONER, YOU SHOULD NOT USE THE SYSTEMS SURVEY. HEALTH CARE PRACTITIONERS SHOULD ONLY USE THE SYSTEMS SURVEY TO PROVIDE SERVICES THAT ARE WITHIN THE SCOPE OF THEIR LICENSE OR PROFESSIONAL TRAINING. THE SYSTEMS SURVEY IS NOT INTENDED TO DIAGNOSE ANY DISEASE. THE SYSTEMS SURVEY IS INTENDED TO BE USED AS A HELPFUL TOOL FOR HEALTH CARE PRACTITIONERS IN COLLECTING INFORMATION CONCERNING THE HEALTH AND WELLNESS OF PATIENTS.

CASE RECORD

Name			Date		_Telephone	
Address		_City		_State		_Zip
Age	Weight		Height		_Sex	
Occupation				_Married		
History of Illness and Treatment:						
Operations, Accidents or Injuries:						
Present Illness or Complaints:						
Diagnostic Summary:						
.,						
Recommendations and Progress:						